



NTN BEARING MFG.CORP



23232 CCK/C4W33 Bearing 2D drawings and 3D CAD models

6.299 Inch | 160 Millimeter x 11.417 Inch | 290 Millimeter x 4.094 Inch | 104 Millimeter SKF 23232 CCK/C4W33 Spherical Roller Bearings

Bearing No. 23232 CCK/C4W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	30.85
EAN	7316576657429
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3232 (Specify bore)
Withdrawal Nut	KM34
Inch - Metric	Metric
Long Description	160MM Tapered Bore; 290MM Outside Diameter; 104MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter



NTN BEARING MFG.CORP

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	67.946
B	4.094 Inch 104 Millimeter
d	6.299 Inch 160 Millimeter
Adapter Part Number	SNW132 H2332 HA2332 HE2332 (Specify Bore) Inch H2332 (Specify bore) Millimeter
D	11.417 Inch 290 Millimeter
bore diameter:	160 mm
maximum rpm:	2200 RPM
outside diameter:	290 mm
operating temperature range:	Maximum of +390 ° F
overall width:	104 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



NTN BEARING MFG.CORP

outer ring width:	104 mm
dynamic load capacity:	1220 kN
fillet radius:	2.5 mm
static load capacity:	1660 kN
series:	232